EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	Naftali.in. AND 726/15.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:29
L4	1	Naftali.in. AND ("726".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:29
L5	2	Naftali.in. AND ("713".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:30
L6	0	Naftali.in. AND ("380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:30
L7	2	Naftali.in. AND ("705".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:30
L12	1	Naftali.in. AND (713/168.ccls. | 726/2,15. ccls. | 380/59,270.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:36
L13	6	authenticat$3 NEAR ("TCP" | transmission control protocol)) AND (establish$4 | initial$5) AND connection AND (713/162, 163,168.ccls. | 726/2,15.ccls. | 380/59, 247,270,273.ccls.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
L14	6	authenticat$3 NEAR ("TCP" | transmission control protocol)) AND (establish$4 | initial$5) AND connection AND (713/168. ccls. | 726/2,15.ccls. | 380/59,270.ccls.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37

L15	31	("EAP" | extensible authentication protocol) AND establish$4 AND initial AND connection AND authenticat$3 AND (713/168.ccls. | 726/2,15.ccls. | 380/59, 270.ccls.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
L16	16	("EAP" | extensible authentication protocol) AND establishment AND initial AND connection AND authentication AND (713/168.ccls. | 726/2,15.ccls. | 380/59, 270.ccls.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
L17	6	authenticat$3 NEAR ("TCP" | transmission control protocol)) AND (establish$4 | initial$5) AND connection AND (713/162, 163,168.ccls. | 726/2,15.ccls. | 380/59, 247,270,273.ccls.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
L18	17	authenticat$3 NEAR ("TCP" | transmission control protocol)) AND (establish$4 | initial$5) AND connection AND (713/162, 163,168.ccls. | "726".clas. | 380/59,247, 270,273.ccls.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
L19	19	authenticat$3 NEAR ("TCP" | transmission control protocol)) AND (establish$4 | initial$5) AND connection AND (713/162, 163,168.ccls. | "726".clas. | "380".clas.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:38
L20	26	authenticat$3 NEAR ("TCP" | transmission control protocol)) AND (establish$4 | initial$5) AND connection AND ("713".clas. | "726".clas. | "380".clas.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:38
S1	255	726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 18:12

EAST Search History

S2	3	authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:15
S3	3	packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:22
S4	3	packet AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:22
S5	5	packet AND (extensible authentication protocol OR "EAP") AND server AND client AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:27
S6	54	packet AND (extensible authentication protocol OR "EAP") AND server AND client AND "726".clas. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:27
S7	23	packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND "726".clas. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:44
S8	61	packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:44

S9	57	field AND packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:44
S10	57	data AND field AND packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:45
S11	2694	(713/168.ccls. | 726/2,15.ccls. | 380/59, 270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:18
S12	1462	connection AND authentication AND (713/168.ccls. | 726/2,15.ccls. | 380/59, 270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:18
S13	168	establishment AND initial AND connection AND authentication AND (713/168.ccls. | 726/2,15.ccls. | 380/59,270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:19
S14	13	("EAP" | extensible authentication protocol) AND establishment AND initial AND connection AND authentication AND (713/168.ccls. | 726/2,15.ccls. | 380/59, 270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:21
S15	0	Naftali.inv. AND 726/15.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:33

S16	1	Naftali.inv. AND (713/168.ccls. | 726/2,15.ccls. | 380/59,270)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:33
S17	1	Naftali.inv. AND ("726".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34
S18	2	Naftali.inv. AND ("713".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34
S19	0	Naftali.inv. AND ("380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34
S20	2	Naftali.inv. AND ("705".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34